

Database Documentation

Agent Table

Key	Name	Data type	Required	Indexed	Default Value
	AgentID	int (auto-number)	Yes		
	AgentCode	varchar(50)	Yes		
	SiteID	int	Yes		((1))
	CompanyName	varchar(100)	-		
	ContactFirstName	varchar(100)	Yes		(")
	ContactLastName	varchar(100)	Yes		(")
	EmailAddress	varchar(100)	Yes		
	EmailVerified	bit	Yes		((0))
	ContactStreetAddress	varchar(100)	Yes		(")
	ContactStreetAddress2	varchar(100)	-		(")
	ContactSuburb	varchar(100)	Yes		(")
	ContactState	varchar(10)	Yes		(")
	ContactPostCode	varchar(10)	Yes		(")
	CountryID	nvarchar(10)	Yes		(")
	ContactPhone	varchar(100)	Yes		(")
	ContactFax	varchar(100)	-		(")
	CommissionPercent	decimal (18,10)	Yes		((0))
	Notes	varchar(1000)	-		
	IsActive	bit	Yes		((1))
	CreateDate	datetime	Yes		=getdate()
	LastModifyDate	datetime	Yes		=getdate()
	ModifiedBy	varchar(50)	Yes		('Unknown')
	ABN	varchar(30)	-		
	BankBSB	varchar(20)	-		
	BankName	varchar(50)	-		
	BankAccountName	varchar(50)	-		
	BankBranchName	varchar(50)	-		

	SecondContactName	varchar(50)	-			
	SecondContactEmailAddress	varchar(50)	-			
	SecondContactPhone	varchar(50)	-			
	ContactMobile	varchar(100)	-			
	BankAccountNumber	varchar(50)	-			
	AgentCategoryID	int	-			

AgentCategory Table

Key	Name	Data type	Required	Indexed	Default Value	
	AgentCategoryID	int (auto-number)	Yes			
	AgentCategoryName	varchar(50)	Yes			
	CreateDate	datetime	Yes		=getdate()	
	LastModifyDate	datetime	Yes		=getdate()	
	ModifiedBy	varchar(50)	Yes		('Unknown')	

BulkPrice Table

Key	Name	Data type	Required	Indexed	Default Value	
	BulkPriceID	int (auto-number)	Yes			
	ProductID	varchar(20)	Yes			
	Quantity	int	Yes			
	FrontColourOptionID	int	Yes			
	BackColourOptionID	int	Yes			
	PaperTypeID	int	Yes			
	PageCount	int	Yes		((1))	
	Price	money	Yes		((0))	
	CreateDate	datetime	Yes		=getdate()	
	LastModifyDate	datetime	Yes		=getdate()	
	ModifiedBy	varchar(50)	Yes		('Unknown')	

ColourChoice Table

Key	Name	Data type	Required	Indexed	Default Value	
	ColourChoiceID	int	Yes			

	ColourChoiceName	varchar(50)	Yes		
	CreateDate	datetime	Yes		=getdate()
	LastModifyDate	datetime	Yes		=getdate()
	ModifiedBy	varchar(50)	Yes		('Unknown')

ColourOption Table

Key	Name	Data type	Required	Indexed	Default Value
	ColourOptionID	int	Yes		
	ColourOptionName	varchar(100)	Yes		
	CreateDate	datetime	Yes		=getdate()
	LastModifyDate	datetime	Yes		=getdate()
	ModifiedBy	varchar(50)	Yes		('Unknown')

ContentData Table

Key	Name	Data type	Required	Indexed	Default Value
	ContentDataID	int (auto-number)	Yes		
	ParentContentDataID	int	Yes		
	SortOrder	int	Yes		((99999))
	PageName	nvarchar(50)	Yes		
	Title	nvarchar(100)	Yes		
	Heading	nvarchar(100)	Yes		
	IsVisible	bit	Yes		((1))
	SiteID	int	Yes		
	ContentData	text	Yes		
	CreateDate	datetime	Yes		=getdate()
	LastModifyDate	datetime	Yes		=getdate()
	ModifiedBy	varchar(50)	Yes		('Unknown')
	MetaKeywords	varchar(1000)	-		
	MetaDescription	varchar(1000)	-		
	MenuCaption	varchar(100)	Yes		('Menu Caption')
	Footer	text	Yes		('Footer')
	IsMenuVisible	bit	Yes		((1))

Currency Table

Key	Name	Data type	Required	Indexed	Default Value
	CurrencyID	varchar(10)	Yes		
	CurrencyName	nvarchar(50)	Yes		
	ConversionFactor	float	Yes		((1))
	CreateDate	datetime	Yes		=getdate()
	LastModifyDate	datetime	Yes		=getdate()
	ModifiedBy	varchar(50)	Yes		('Unknown')

DeliveryMethod Table

Key	Name	Data type	Required	Indexed	Default Value
	DeliveryMethodID	int (auto-number)	Yes		
	DeliveryMethodName	varchar(100)	Yes		
	CreateDate	datetime	Yes		=getdate()
	LastModifyDate	datetime	Yes		=getdate()
	ModifiedBy	varchar(50)	Yes		('Unknown')

DesignTemplate Table

Key	Name	Data type	Required	Indexed	Default Value
	DesignTemplateID	varchar(20)	Yes		
	DesignTemplateName	varchar(50)	Yes		
	Notes	varchar(1000)	-		
	CreateDate	datetime	Yes		=getdate()
	LastModifyDate	datetime	Yes		=getdate()
	ModifiedBy	varchar(50)	Yes		('Unknown')

FileTransferMethod Table

Key	Name	Data type	Required	Indexed	Default Value
	FileTransferMethodID	int (auto-number)	Yes		
	FileTransferMethodName	varchar(100)	Yes		
	CreateDate	datetime	Yes		=getdate()

	LastModifyDate	datetime	Yes		=getdate()	
	ModifiedBy	varchar(50)	Yes		('Unknown')	

FoldingChoice Table

Key	Name	Data type	Required	Indexed	Default Value	
	FoldingChoiceID	int	Yes			
	FoldingChoiceName	varchar(100)	Yes			
	CreateDate	datetime	Yes		=getdate()	
	LastModifyDate	datetime	Yes		=getdate()	
	ModifiedBy	varchar(50)	Yes		('Unknown')	

FoldingCost Table

Key	Name	Data type	Required	Indexed	Default Value	
	ItemCount	int	Yes			
	FoldingCost	money	Yes			
	CreateDate	datetime	Yes		=getdate()	
	LastModifyDate	datetime	Yes		=getdate()	
	ModifiedBy	varchar(50)	Yes		('Unknown')	

FoldingOption Table

Key	Name	Data type	Required	Indexed	Default Value	
	FoldingOptionID	int	Yes			
	FoldingOptionName	varchar(100)	Yes			
	CreateDate	datetime	Yes		=getdate()	
	LastModifyDate	datetime	Yes		=getdate()	
	ModifiedBy	varchar(50)	Yes		('Unknown')	

FreightCountry Table

Key	Name	Data type	Required	Indexed	Default Value	
	CountryID	nvarchar(10)	Yes			
	CountryName	nvarchar(50)	Yes			
	FreightZoneInternationalID	int	Yes			

	DeliveryTime	int	Yes			
	CreateDate	datetime	Yes		=getdate()	
	LastModifyDate	datetime	Yes		=getdate()	
	ModifiedBy	varchar(50)	Yes		('Unknown')	

FreightPostCode Table

Key	Name	Data type	Required	Indexed	Default Value	
	FreightID	int (auto-number)	Yes			
	PostCodeStart	int	Yes			
	PostCodeFinish	int	Yes		(0)	
	ZoneID	varchar(10)	Yes			
	CreateDate	datetime	Yes		=getdate()	
	LastModifyDate	datetime	Yes		=getdate()	
	ModifiedBy	varchar(50)	Yes		('Unknown')	

FreightZoneAust Table

Key	Name	Data type	Required	Indexed	Default Value	
	FreightZoneID	varchar(10)	Yes			
	FreightZoneName	varchar(100)	Yes			
	BasicCost	money	Yes			
	CostPer250Grams	money	Yes			
	PremiumMultiplier	float	Yes		(1)	
	CreateDate	datetime	Yes		=getdate()	
	LastModifyDate	datetime	Yes		=getdate()	
	ModifiedBy	varchar(50)	Yes		('Unknown')	

FreightZoneInternational Table

Key	Name	Data type	Required	Indexed	Default Value	
	FreightZoneInternationalID	int	Yes			
	FreightZoneInternationalName	nvarchar(50)	Yes			
	LessThan250g	money	Yes			
	Between250and500g	money	Yes			

	Between500and1000g	money	Yes		
	PartKiloThereafter	money	Yes		
	CreateDate	datetime	Yes		=getdate()
	LastModifyDate	datetime	Yes		=getdate()
	ModifiedBy	varchar(50)	Yes		('Unknown')

Job Table

Key	Name	Data type	Required	Indexed	Default Value
	JobID	int (auto-number)	Yes		
	ProductID	varchar(20)	Yes		
	JobStatusID	int	Yes		
	ItemCount	int	Yes		
	PaperTypeID	int	-		
	ProofID	int	-		
	ProductionSpeedID	int	Yes		
	DeliveryMethodID	int	Yes		
	FileTransferMethodID	int	Yes		
	ContactFirstName	varchar(100)	-		
	ContactLastName	varchar(100)	-		
	ContactCompanyName	varchar(100)	-		
	ContactStreetAddress	varchar(100)	-		
	ContactSuburb	varchar(100)	-		
	ContactState	varchar(10)	-		
	ContactPostCode	varchar(10)	-		
	ContactPhone	varchar(100)	-		
	ContactFax	varchar(100)	-		
	ContactEmail	varchar(100)	-		
	DeliveryFirstName	varchar(100)	-		
	DeliveryLastName	varchar(100)	-		
	DeliveryCompanyName	varchar(100)	-		
	DeliveryStreetAddress	varchar(100)	-		
	DeliverySuburb	varchar(100)	-		
	DeliveryState	varchar(10)	-		

	DeliveryPostCode	varchar(10)	-		
	DeliveryPhone	varchar(100)	-		
	DeliveryFax	varchar(100)	-		
	DeliveryEmail	varchar(100)	-		
	PaymentMethodID	int	-		
	CreditCardName	varchar(100)	-		
	CreditCardNumber	varchar(100)	-		
	CreditCardExpiryMonth	varchar(2)	-		
	CreditCardExpiryYear	varchar(4)	-		
	JobName	varchar(100)	-		
	OperatingSystemID	int	-		
	SoftwareUsedID	int	-		
	SoftwareUsedOther	varchar(100)	-		
	SpecialInstructions	varchar(1000)	-		
	JobNotes	varchar(2000)	-		
	CreateDate	datetime	Yes		=getdate()
	LastModifyDate	datetime	Yes		=getdate()
	ModifiedBy	varchar(50)	Yes		('Unknown')
	BackColourOptionID	int	-		
	FoldingOptionID	int	-		
	ReprintJobID	int	-		
	PrintingPrice	money	Yes		(0)
	ProofPrice	money	Yes		(0)
	UrgencyPrice	money	Yes		(0)
	FreightPrice	money	Yes		(0)
	OrderTotalPrice	money	Yes		(0)
	AuthorCorrections	varchar(1500)	-		
	HouseCorrections	varchar(1500)	-		
	CountryID	nvarchar(10)	-		
	DeliveryStreetAddress2	varchar(100)	-		
	ContactStreetAddress2	varchar(100)	-		
	AdminPrice	money	Yes		((0))
	FrontColourOptionID	int	Yes		((1))

	PageCount	int	Yes		((1))
	PlacedByUserID	int	-		
	DesignOnlineUsed	bit	Yes		((0))
	AgentID	int	Yes		((1))
	SiteID	int	Yes		((1))
	AgentCommission	money	Yes		((0))
	OtherPrice	money	Yes		((0))
	OtherPriceDesc	varchar(200)	-		
	DesignCount	int	Yes		((1))
	DiscountPrice	money	Yes		((0))

JobFile Table

Key	Name	Data type	Required	Indexed	Default Value
	JobFileID	int (auto-number)	Yes		
	FileName	varchar(200)	Yes		
	FilePath	varchar(500)	Yes		
	JobID	int	-		
	CreateDate	datetime	Yes		=getdate()
	LastModifyDate	datetime	Yes		=getdate()
	ModifiedBy	varchar(50)	Yes		('Unknown')
	IsProof	bit	Yes		(0)

JobStatus Table

Key	Name	Data type	Required	Indexed	Default Value
	JobStatusID	int	Yes		
	JobStatusName	varchar(100)	Yes		
	CreateDate	datetime	Yes		=getdate()
	LastModifyDate	datetime	Yes		=getdate()
	ModifiedBy	varchar(50)	Yes		('Unknown')

OperatingSystem Table

Key	Name	Data type	Required	Indexed	Default Value
-----	------	-----------	----------	---------	---------------

	OperatingSystemID	int (auto-number)	Yes			
	OperatingSystemName	varchar(100)	Yes			
	CreateDate	datetime	Yes		=getdate()	
	LastModifyDate	datetime	Yes		=getdate()	
	ModifiedBy	varchar(50)	Yes		('Unknown')	

PaperType Table

Key	Name	Data type	Required	Indexed	Default	Value
	PaperTypeID	int (auto-number)	Yes			
	PaperTypeName	varchar(100)	Yes			
	PaperCost	money	Yes			
	GSM	int	Yes			
	CreateDate	datetime	Yes		=getdate()	
	LastModifyDate	datetime	Yes		=getdate()	
	ModifiedBy	varchar(50)	Yes		('Unknown')	

PaperWeight Table

Key	Name	Data type	Required	Indexed	Default	Value
	GSM	int	Yes			
	GramsPerA3	float	Yes			
	CreateDate	datetime	Yes		=getdate()	
	LastModifyDate	datetime	Yes		=getdate()	
	ModifiedBy	varchar(50)	Yes		('Unknown')	

PaymentMethod Table

Key	Name	Data type	Required	Indexed	Default	Value
	PaymentMethodID	int (auto-number)	Yes			
	PaymentMethodName	varchar(100)	Yes			
	CreateDate	datetime	Yes		=getdate()	
	LastModifyDate	datetime	Yes		=getdate()	
	ModifiedBy	varchar(50)	Yes		('Unknown')	

PrintMethod Table

Key	Name	Data type	Required	Indexed	Default Value
	PrintMethodID	int	Yes		
	PrintMethodName	varchar(100)	Yes		
	SetupCost	money	Yes		
	ColourCost	money	Yes		
	BlankCost	money	Yes		
	BlackWhiteCost	money	Yes		
	CreateDate	datetime	Yes		=getdate()
	LastModifyDate	datetime	Yes		=getdate()
	ModifiedBy	varchar(50)	Yes		('Unknown')

Product Table

Key	Name	Data type	Required	Indexed	Default Value
	ProductID	varchar(20)	Yes		
	ProductFamily	varchar(20)	Yes		('unknown')
	ProductName1	varchar(100)	Yes		
	ProductName2	varchar(100)	-		
	ProductName3	varchar(100)	-		
	ProductName4	varchar(100)	Yes		
	NumberPerA3	decimal (18,10)	Yes		
	DigitalMaxCopies	int	Yes		
	QuantityMin	int	Yes		
	QuantityMax	int	Yes		
	AdminCost	money	Yes		
	ProofCost	money	Yes		
	CreateDate	datetime	Yes		=getdate()
	LastModifyDate	datetime	Yes		=getdate()
	ModifiedBy	varchar(50)	Yes		('Unknown')
	BackColourOptionDefaultID	int	Yes		
	FoldingChoiceID	int	Yes		

FoldingOptionDefaultID	int	Yes	
ProductDescription1	varchar(100)	-	
ProductTypeID	varchar(1)	Yes	('S')
FrontColourChoiceID	int	Yes	((3))
BackColourChoiceID	int	Yes	((7))
PageCopies	int	Yes	((1))
FrontColourDesc1	varchar(50)	Yes	('Front')
BackColourDesc1	varchar(50)	Yes	('Back')
DesignOnlineAllowed	bit	Yes	((1))
ProductGroupID	varchar(20)	Yes	('unknown')
DesignTemplateID	varchar(20)	-	
SortOrder	int	Yes	((0))
DesignOnlineFrontColourChoiceID	int	Yes	((7))
DesignOnlineBackColourChoiceID	int	Yes	((7))
PartnerProductID	varchar(20)	-	
ShowInMenu	bit	Yes	((1))
DiscountPercent	decimal (10,4)	Yes	((0))
DiscountAmount	money	Yes	((0))
PageTitle1	nvarchar(100)	Yes	('New Page')
PageTitle2	nvarchar(100)	Yes	('New Page')
PageTitle3	nvarchar(100)	Yes	('New Page')
PageTitle4	nvarchar(100)	Yes	('New Page')
MetaKeywords1	varchar(1000)	-	
MetaKeywords2	varchar(1000)	-	
MetaKeywords4	varchar(1000)	-	
MetaKeywords3	varchar(1000)	-	
MetaDescription1	varchar(1000)	-	
MetaDescription2	varchar(1000)	-	
MetaDescription3	varchar(1000)	-	
MetaDescription4	varchar(1000)	-	
Footer1	text	Yes	('Footer')
Footer2	text	Yes	('Footer')
Footer3	text	Yes	('Footer')

	Footer4	text	Yes		('Footer')
	ProductText1	text	-		
	ProductText2	text	-		
	ProductText3	text	-		
	ProductText4	text	-		
	FrontColourDesc2	varchar(50)	Yes		('Front')
	FrontColourDesc3	varchar(50)	Yes		('Front')
	FrontColourDesc4	varchar(50)	Yes		('Front')
	BackColourDesc2	varchar(50)	Yes		('Back')
	BackColourDesc3	varchar(50)	Yes		('Back')
	BackColourDesc4	varchar(50)	Yes		('Back')
	ProductDescription2	varchar(100)	-		
	ProductDescription3	varchar(100)	-		
	ProductDescription4	varchar(100)	-		
	DeliveryInfo1	varchar(100)	-		
	DeliveryInfo2	varchar(100)	-		
	DeliveryInfo3	varchar(100)	-		
	DeliveryInfo4	varchar(100)	-		
	Dimensions1	varchar(100)	-		
	Dimensions2	varchar(100)	-		
	Dimensions3	varchar(100)	-		
	Dimensions4	varchar(100)	-		

ProductGroup Table

Key	Name	Data type	Required	Indexed	Default Value
	ProductGroupID	varchar(20)	Yes		
	ProductGroupName1	varchar(50)	Yes		
	SortOrder1	int	Yes		((0))
	CreateDate	datetime	Yes		=getdate()
	LastModifyDate	datetime	Yes		=getdate()
	ModifiedBy	varchar(50)	Yes		('Unknown')
	PageTitle1	nvarchar(100)	Yes		('New Page')
	PageTitle2	nvarchar(100)	Yes		('New Page')

	PageTitle3	nvarchar(100)	Yes		('New Page')
	PageTitle4	nvarchar(100)	Yes		('New Page')
	MetaKeywords1	varchar(1000)	-		
	MetaKeywords2	varchar(1000)	-		
	MetaKeywords3	varchar(1000)	-		
	MetaKeywords4	varchar(1000)	-		
	MetaDescription1	varchar(1000)	-		
	MetaDescription2	varchar(1000)	-		
	MetaDescription3	varchar(1000)	-		
	MetaDescription4	varchar(1000)	-		
	Footer1	text	Yes		('Footer')
	Footer2	text	Yes		('Footer')
	Footer3	text	Yes		('Footer')
	Footer4	text	Yes		('Footer')
	Description1	text	-		
	Description2	text	-		
	Description3	text	-		
	Description4	text	-		
	ProductGroupName2	varchar(50)	Yes		
	ProductGroupName3	varchar(50)	Yes		
	ProductGroupName4	varchar(50)	Yes		
	SortOrder2	int	Yes		((0))
	SortOrder3	int	Yes		((0))
	SortOrder4	int	Yes		((0))

ProductionSpeed Table

Key	Name	Data type	Required	Indexed	Default Value
	ProductionSpeedID	int (auto-number)	Yes		
	ProductionSpeedName	varchar(100)	Yes		
	SurchargePercent	float	Yes		
	CreateDate	datetime	Yes		=getdate()
	LastModifyDate	datetime	Yes		=getdate()

	ModifiedBy	varchar(50)	Yes		('Unknown')	
--	------------	-------------	-----	--	-------------	--

ProductPaper Table

Key	Name	Data type	Required	Indexed	Default Value
	ProductID	varchar(20)	Yes		
	PaperTypeID	int	Yes		
	CreateDate	datetime	Yes		=getdate()
	LastModifyDate	datetime	Yes		=getdate()
	ModifiedBy	varchar(50)	Yes		('Unknown')

ProductType Table

Key	Name	Data type	Required	Indexed	Default Value
	ProductTypeID	varchar(1)	Yes		
	ProductTypeName	varchar(50)	Yes		
	CreateDate	datetime	Yes		=getdate()
	LastModifyDate	datetime	Yes		=getdate()
	ModifiedBy	varchar(50)	Yes		('Unknown')

ProfitMargin Table

Key	Name	Data type	Required	Indexed	Default Value
	ProfitMarginID	int (auto-number)	Yes		
	ProductID	varchar(20)	Yes		
	ItemCount	int	Yes		
	ProfitMarginPercent	float	Yes		
	CreateDate	datetime	Yes		=getdate()
	LastModifyDate	datetime	Yes		=getdate()
	ModifiedBy	varchar(50)	Yes		('Unknown')

Proof Table

Key	Name	Data type	Required	Indexed	Default Value
	ProofID	int (auto-number)	Yes		
	ProofName	varchar(100)	Yes		

	CreateDate	datetime	Yes		=getdate()	
	LastModifyDate	datetime	Yes		=getdate()	
	ModifiedBy	varchar(50)	Yes		('Unknown')	

SecurityGroup Table

Key	Name	Data type	Required	Indexed	Default Value	
	SecurityGroupID	int (auto-number)	Yes			
	SecurityGroupName	varchar(50)	Yes			
	CreateDate	datetime	Yes		=getdate()	
	LastModifyDate	datetime	Yes		=getdate()	
	ModifiedBy	varchar(50)	Yes		('Unknown')	

SecurityGroup_User Table

Key	Name	Data type	Required	Indexed	Default Value	
	SecurityUserID	int	Yes			
	SecurityGroupID	int	Yes			
	CreateDate	datetime	Yes		=getdate()	
	LastModifyDate	datetime	Yes		=getdate()	
	ModifiedBy	varchar(50)	Yes		('Unknown')	

SecurityPermission Table

Key	Name	Data type	Required	Indexed	Default Value	
	SecurityPermissionID	int (auto-number)	Yes			
	SecurityPermissionName	varchar(50)	Yes			
	CreateDate	datetime	Yes		=getdate()	
	LastModifyDate	datetime	Yes		=getdate()	
	ModifiedBy	varchar(50)	Yes		('Unknown')	

SecurityPermission_Group Table

Key	Name	Data type	Required	Indexed	Default Value	
	SecurityGroupID	int	Yes			
	SecurityPermissionID	int	Yes			

	CreateDate	datetime	Yes		=getdate()	
	LastModifyDate	datetime	Yes		=getdate()	
	ModifiedBy	varchar(50)	Yes		('Unknown')	

SecurityUser Table

Key	Name	Data type	Required	Indexed	Default Value	
	SecurityUserID	int (auto-number)	Yes			
	UserName	varchar(50)	Yes			
	PasswordHash	varchar(200)	Yes		("")	
	EmailAddress	varchar(100)	Yes			
	CompanyName	varchar(100)	-			
	Notes	varchar(1000)	-			
	IsActive	bit	Yes		(1)	
	CreateDate	datetime	Yes		=getdate()	
	LastModifyDate	datetime	Yes		=getdate()	
	ModifiedBy	varchar(50)	Yes		('Unknown')	
	ContactFirstName	varchar(100)	Yes		("")	
	ContactLastName	varchar(100)	Yes		("")	
	ContactStreetAddress	varchar(100)	Yes		("")	
	ContactStreetAddress2	varchar(100)	-		("")	
	ContactSuburb	varchar(100)	Yes		("")	
	ContactState	varchar(10)	Yes		("")	
	ContactPostCode	varchar(10)	Yes		("")	
	CountryID	nvarchar(10)	Yes		("")	
	ContactPhone	varchar(100)	Yes		("")	
	ContactFax	varchar(100)	-		("")	
	EmailVerified	bit	Yes		((0))	
	AgentID	int	-			

Site Table

Key	Name	Data type	Required	Indexed	Default Value	
	SiteID	int	Yes			

	SiteName	varchar(50)	Yes		
	CreateDate	datetime	Yes		=getdate()
	LastModifyDate	datetime	Yes		=getdate()
	ModifiedBy	varchar(50)	Yes		('Unknown')
	HostBase	varchar(50)	Yes		('example.com')
	HostName	varchar(50)	Yes		('www.unknown.com')

SoftwareUsed Table

Key	Name	Data type	Required	Indexed	Default Value
	SoftwareUsedID	int (auto-number)	Yes		
	SoftwareUsedName	varchar(100)	Yes		
	CreateDate	datetime	Yes		=getdate()
	LastModifyDate	datetime	Yes		=getdate()
	ModifiedBy	varchar(50)	Yes		('Unknown')
	SortCode	varchar(50)	Yes		('A')

TrimCost Table

Key	Name	Data type	Required	Indexed	Default Value
	A3SheetCount	int	Yes		
	TrimCost	money	Yes		
	CreateDate	datetime	Yes		=getdate()
	LastModifyDate	datetime	Yes		=getdate()
	ModifiedBy	varchar(50)	Yes		('Unknown')

ViewBulkPrice Table

Key	Name	Data type	Required	Indexed	Default Value
	BulkPriceID	int (auto-number)	Yes		
	ProductID	varchar(20)	Yes		
	Quantity	int	Yes		
	FrontColourOptionID	int	Yes		
	BackColourOptionID	int	Yes		
	PaperTypeID	int (auto-number)	Yes		

	PageCount	int	Yes		
	Price	money	Yes		
	PaperTypeName	varchar(100)	Yes		
	FrontColourOptionName	varchar(100)	Yes		
	BackColourOptionName	varchar(100)	Yes		

ViewJobDetail Table

Key	Name	Data type	Required	Indexed	Default Value
	JobID	int (auto-number)	Yes		
	ProductName1	varchar(100)	Yes		
	ProductName2	varchar(100)	-		
	ProductName3	varchar(100)	-		
	ProductName4	varchar(100)	Yes		
	JobStatusName	varchar(100)	Yes		
	ItemCount	int	Yes		
	PaperTypeName	varchar(100)	-		
	ProofName	varchar(100)	Yes		
	ProductionSpeedName	varchar(100)	Yes		
	DeliveryMethodName	varchar(100)	-		
	FileTransferMethodName	varchar(100)	-		
	ContactFirstName	varchar(100)	-		
	ContactLastName	varchar(100)	-		
	ContactCompanyName	varchar(100)	-		
	ContactStreetAddress	varchar(100)	-		
	ContactSuburb	varchar(100)	-		
	ContactState	varchar(10)	-		
	ContactPostCode	varchar(10)	-		
	ContactPhone	varchar(100)	-		
	ContactFax	varchar(100)	-		
	ContactEmail	varchar(100)	-		
	DeliveryFirstName	varchar(100)	-		
	DeliveryLastName	varchar(100)	-		
	DeliveryCompanyName	varchar(100)	-		

	DeliveryStreetAddress	varchar(100)	-		
	DeliverySuburb	varchar(100)	-		
	DeliveryState	varchar(10)	-		
	DeliveryPostCode	varchar(10)	-		
	DeliveryPhone	varchar(100)	-		
	DeliveryFax	varchar(100)	-		
	DeliveryEmail	varchar(100)	-		
	PaymentMethodName	varchar(100)	-		
	CreditCardName	varchar(100)	-		
	CreditCardNumber	varchar(100)	-		
	CreditCardExpiryMonth	varchar(2)	-		
	CreditCardExpiryYear	varchar(4)	-		
	JobName	varchar(100)	-		
	OperatingSystemName	varchar(100)	-		
	SoftwareUsedName	varchar(100)	-		
	SoftwareUsedOther	varchar(100)	-		
	SpecialInstructions	varchar(1000)	-		
	JobNotes	varchar(2000)	-		
	CreateDate	datetime	Yes		
	LastModifyDate	datetime	Yes		
	ModifiedBy	varchar(50)	Yes		
	BackColourOptionName	varchar(100)	-		
	FoldingOptionName	varchar(100)	-		
	ReprintJobID	int	-		
	PrintingPrice	money	Yes		
	ProofPrice	money	Yes		
	UrgencyPrice	money	Yes		
	FreightPrice	money	Yes		
	OrderTotalPrice	money	Yes		
	ProductID	varchar(20)	Yes		
	JobStatusID	int	Yes		
	ProofID	int (auto-number)	-		
	ProductionSpeedID	int (auto-number)	Yes		

	AuthorCorrections	varchar(1500)	-		
	HouseCorrections	varchar(1500)	-		
	CountryName	nvarchar(50)	-		
	DeliveryStreetAddress2	varchar(100)	-		
	ContactStreetAddress2	varchar(100)	-		
	AdminPrice	money	Yes		
	FrontColourOptionName	varchar(100)	Yes		
	DesignOnlineUsed	bit	Yes		
	SiteName	varchar(50)	Yes		
	HostBase	varchar(50)	Yes		
	HostName	varchar(50)	Yes		
	FileTransferMethodID	int (auto-number)	Yes		
	DesignCount	int	Yes		
	DiscountPrice	money	Yes		