# PostgreSQL Replication Solutions

BRUCE MOMJIAN



Replication is a complex feature. POSTGRESQL supports a variety of replication options.

Creative Commons Attribution License

http://momjian.us/presentations


Last updated: April, 2017

# Uses for Replication




https://www.flickr.com/photos/eugenius/

### Fail Over







## Data Warehousing




#### Load Balancing



#### Remote Servers



### Mobile Servers








# Replication Solutions




https://www.flickr.com/photos/paulbence/

#### Shared Storage




- ▶ No overhead
- ▶ No data loss on fail-over
- Slave cannot execute queries

### Storage Mirroring




- ▶ No overhead on master
- Synchronous or asynchronous
- ► Possible data loss on fail-over when using asynchronous
- Slave cannot execute queries

#### Streaming Replication




- No overhead on master
- Slaves can execute queries
- Possible data loss on fail-over when using asynchronous mode
- Synchronous option available (Postgres 9.1)

#### Slony




- Triggers add overhead to the master
- Possible data loss on fail-over
- Replication possible even over slow links
- Slave can execute read-only queries
- Table-level granularity allows complex data partitioning configurations


### Slony Internals



## Slony Master Switching




#### Bucardo




- Similar to Slony, except multi-master with conflict resolution
- Conflict resolution rules are user-configurable

#### Pgpool II



- Automatically load-balances read queries
- Queries with non-deterministic behavior can cause inconsistency
- Allows parallel query execution on all nodes
- Also does connection pooling and query caching

#### Pgpool II With Streaming Replication



Streaming replication avoids the problem of non-deterministic queries producing different results on different hosts.

# Summary

Feature	Shared Disk Fail-over	File System Replic.	Transaction WAL Log Shipping	Trigger- based Replic.	Statement- Based Replication Middleware	Asynch- chronous Multi- Master Replic.	Synch- chronous Multi- Master Replic.
Most Popular Implementation	NAS	DRBD	Log shipping	Slony	pgpool-II	Bucardo	
Communication Method	shared disk	disk blocks	WAL	table rows	SQL	table rows	table rows & row locks
No Special hardware required		•	•	•	•	•	•
Allows multiple master servers					•	•	•
No master server overhead	•		•		•		
No waiting for multiple servers	•		•	•		•	
Master failure will never lose data	•	•			•		•
Slaves accept read-only queries			•	•	•	•	•
Per-table granularity				•		•	•
No conflict resolution necessary	•	•	•	•			•

http://momjian.us/presentations