

TriMix-gel[®]

(prostaglandin, papaverine, phentolamine)

Order Form

American Pharmacy Solutions

3207 International Drive, Suite F
Mobile, AL 36606

Phone: 877-887-4649

Fax: 877-387-4649

Physician Signature: _____

State License #: _____

Place
Rx
Here

TriMix-gel
1000mcg 300mcg 100mcg

#6

sig: as directed,
use 5 to 10 minutes
before sexual activity

Fax to 877-3 TriMix
(877-387-4649)

	Prostaglandin, Papaverine, Phentolamine	Quantity	# Refills	Price
TriMix-gel [®]	1000mcg-300mcg-100mcg	6		\$139
TriMix-gel [®]	500mcg-300mcg-100mcg	6		\$136
TriMix-gel [®]	250mcg-300mcg-100mcg	6		\$133
Custom Dosage		6		\$139

Patient Name: _____

Patient Phone #: _____

Patient Email: _____

Attention Physicians: The patient cannot fax this prescription. The pharmacy must receive this fax from your office. The pharmacy will mail the medication directly to the patient.

Dear Doctor,

Your patient has expressed an interest in TriMix-gel[®] for the treatment of erectile dysfunction. TriMix-gel[®] is an easy to apply gel which has been used as an alternative for the ED patient who has failed on PDE5 Inhibitor tablets such as Viagra[®], Cialis[®] and Levitra[®] and who cannot self inject a needle into his penis.

TriMix-gel[®]

- No needles or pellets
- Can be carried by the patient at room temperature
- ED-gel[™] Easy Applicator (pat. pending)

The active ingredients in trimix liquid for injection have been prescribed by Doctors for many years. Trimix compound in gel form, called TriMix-gel[®], does not require a needle for self-injection. The medicine is reconstituted from a powder to a gel at time of use. To apply the medicine, TriMix-gel[®] uses the ED-gel[™] Easy Applicator System (pat. pending) which stores, mixes and delivers the medicine at time of use. Refrigeration is not required.

When Oral Therapy Fails

Many ED sufferers cannot take Viagra[®] type tablets for a variety of reasons. Contraindications include patients on nitrates, certain beta blockers or patients with nonarteritic anterior ischemic optic neuropathy (NAION). Still other patients cannot tolerate the side effects of PDE5's which are numerous and can be harsh.

When Patients Cannot Self Inject

Some Physicians do not wish to encourage or train patients on injection therapy. Even more patients just cannot bring themselves to self inject a needle into their penis.

ED Alternative

TriMix-gel[™] has been used as an alternative for the ED patient who has failed on PDE5 Inhibitor tablets such as Viagra[®], Cialis[®] or Levitra[®] and who cannot self inject their penis.

Combination Therapy

Prostaglandin E/alprostadil, a principle active ingredient in trimix for injection, uses the energy pathway known as cyclic adenosine monophosphate (cAMP). PDE5 inhibitors such as Viagra[®], Cialis[®] and Levitra[®] use the energy pathway known as cyclic guanosine monophosphate (cGMP).

Since both cAMP and cGMP mediated vasodilation can lead to penile erection, combining therapies that incorporate both pathways may succeed when single therapies fail.

American Pharmacy Solutions

3207 International Drive, Suite F ■ Mobile, AL 36606

Phone: 877-887-4649 ■ **Fax:** 877-387-4649



Insurance Information for Patient Reimbursement

Insurance policies greatly differ as to the extent of prescription coverage or whether certain medications will be covered at all.

On the back of your insurance card or prescription card you will find a telephone number for customer service. Call that number and ask for the address of where to send your receipt for prescription reimbursement. Send them the receipt for your TriMix-gel® and retain a copy for your records.

The amount of your reimbursement will vary due to the conditions and terms of your individual policy.

Your insurance company will tell you:

- Whether they will cover medications
- How much they will cover

Due to the variations in insurance companies' coverage, TriMix-gel® will be reimbursed according to your specific plan. Whether your insurance company covers this medicine or not, your TriMix-gel® will always be available for purchase after the pharmacy receives your physician's prescription.