



# **Firmware Upgrade for PSP5502DUO**

Author: **Jakub Babic**

Document ID#:

Revision: **r01**

Release date: **18.04.2016**

















## 1 Procedure

### 1.1 Install driver


Install drivers from folder **Driver** **DriverCoding-MUX-1.0.0.48.rar.**

### 1.2 Install Firmware


1. Open file in FW\ResearchDownloadUpgradeDownload.exe

	ImageFiles	15. 9. 2015 15:57	File folder	
	BMAConfig.xml	2. 4. 2013 14:19	XML File	12 KB
	BMAFrame9.dll	9. 3. 2015 14:57	Application extens...	306 KB
	BMError.ini	9. 3. 2015 14:57	Configuration sett...	1 KB
	BMFileType.ini	9. 3. 2015 14:57	Configuration sett...	5 KB
	BMPlatform9.dll	9. 3. 2015 14:57	Application extens...	271 KB
	BMTimeout.ini	9. 3. 2015 14:57	Configuration sett...	1 KB
	Guide.chm	1. 5. 2014 17:49	Compiled HTML ...	785 KB
	Channel.ini	14. 11. 2013 18:41	Configuration sett...	2 KB
	Channel9.dll	12. 3. 2015 18:55	Application extens...	247 KB
	MCPTType.ini	13. 9. 2012 23:34	Configuration sett...	3 KB
	ProcessFlow.dll	7. 1. 2015 19:16	Application extens...	192 KB
	ProcessFlowSetting.ini	7. 1. 2015 19:16	Configuration sett...	1 KB
	udl_bkmark.bmp	13. 9. 2012 23:34	Bitmap image	118 KB
	<b>UpgradeDownload.exe</b>	12. 3. 2015 18:55	Application	1 643 KB
	UpgradeDownload.ini	15. 9. 2015 15:29	Configuration sett...	7 KB

## 2. Load current FW in folder.




## 3. Wait for loading FW




#### 4. Press Start.



#### 5. Remove the battery from device. **HOLD the VOLUME minus button, connect cable from the computer, plug in battery.** The device is loaded automatically



6.Driver is opened.



7.Firmware has been installed successfully. The device can be unplugged. Press STOP button when you want to close application.

